

Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application.

Listing of Claims:

1. (currently amended) A thermoplastic molding composition comprising:
 - (A) at least one polymeric resin selected from the group consisting of polycarbonate, polyester carbonate, polyamide, polyalkylene terephthalate and polyoxymethylene; and
 - (B) a co-precipitated mixture of,
 - (i) a graft polymer B.1 that is prepared by means of a redox initiation system consisting of, an oxidizing agent selected from the group consisting of di-tert.-butyl peroxide, cumene hydroperoxide, dicyclohexyl percarbonate, tert.-butyl hydroperoxide, p-menthane hydroperoxide, H_2O_2 and combinations thereof, and a reducing agent selected from the group consisting of salts of sulfinic acid, salts of sulfurous acid, ascorbic acid, and salts of ascorbic acid, sodium formaldehyde sulfoxylate, mono-hydroxyacetone, di-hydroxyacetone, sugars, iron(II) salts, tin(II) salts, titanium(III) salts and combinations thereof, and
 - (ii) a graft copolymer B.2 that is prepared by means of an initiation system consisting of persulfate compounds

wherein each of B.1 and B.2 is a product of polymerizations of i) from 5 to 95 wt.% of at least one vinyl monomer with ii)from 95 to 5 wt.% of one or more crosslinked graft bases having glass transition temperatures lower than 10°C.

2. (Original) The composition according to Claim 1 comprising 10 to 99.5 parts by weight of component A) and 0.5 to 90 parts by weight of component B).


3. (Original) The composition according to Claim 2 further comprising at least one flameproofing agent.

4. (Original) The composition according to Claim 1 further comprising at least one fluorinated polyolefin.

5. (Original) The composition according to Claim 1 further comprising at least one vinyl (co)polymer, B.3.

6. (Original) The composition according to Claim 3 wherein the flameproofing agent is selected from the group consisting of monomeric and oligomeric phosphorus compounds.

7. (Previously Presented) The composition according to Claim 6 wherein the phosphorus compounds conform to formula



wherein

R^1 , R^2 , R^3 and R^4 independently one of the others represents a member selected from the group consisting of C_1 - to C_8 -alkyl, C_5 - to C_6 -cycloalkyl, C_6 - to C_{20} -aryl and C_7 - to C_{12} -aralkyl,

n independently one of the others is 0 or 1,

q is 0 to 30, and

X is a mono- or poly-nuclear aromatic radical having 6 to 30 carbon atoms, or a linear or branched aliphatic radical having from 2 to 30 carbon atoms.

8. (Previously Presented) The composition according to Claim 5 wherein the vinyl (co)polymer is the product of polymerization of at least one monomer selected from the group consisting of vinyl aromatic compounds, vinyl cyanides, (meth)acrylic acid (C_1-C_8)-alkyl esters, unsaturated carboxylic acids and derivatives of unsaturated carboxylic acids.

9. (Original) The composition according to Claim 8 wherein the vinyl (co)polymer is a product of polymerization of from 50 to 99 parts by weight of at least one monomer selected from the group consisting of vinyl aromatic compounds and (meth)acrylic acid (C_1-C_8)-alkyl esters and 1 to 50 parts by weight of at least one monomer selected from the group consisting of vinyl cyanides and (meth)acrylic acid (C_1-C_8)-alkyl esters.

10. (Original) The composition according to Claim 1 wherein the polymeric resin is selected from the group consisting of polycarbonate and polyamide.

11. (cancelled)

12. (currently amended) The composition according to Claim ~~[[14]]~~ 1, wherein i) is a mixture of

- i1) from 50 to 99 parts by weight of at least one monomer selected from a first group consisting of vinyl aromatic compounds, vinyl aromatic compounds substituted on the ring, and (meth)acrylic acid (C_1-C_8)-alkyl esters, and
- i2) from 1 to 50 parts by weight of at least one monomer selected from a second group consisting of vinyl cyanides, (meth)acrylic acid (C_1-C_8)-alkyl esters and derivatives of unsaturated carboxylic acids.

13. (Original) The composition according to Claim 12, wherein said first group consists of styrene, α -methylstyrene and methyl methacrylate, and said second group consists of acrylonitrile, maleic anhydride and methyl methacrylate.

14. (currently amended) The composition according to Claim ~~[[14]]~~ 1, wherein the graft base is selected from the group consisting of diene rubbers, EP(D)M rubbers and acrylate rubbers.

15. (Original) The composition according to Claim 14, wherein the graft base is selected from the group consisting of polybutadiene and butadiene/styrene copolymer.

16. (Original) The composition according to Claim 1, wherein the ratio by weight of graft polymer B.1:B.2 is 95:5 to 5:95.

17. (Original) The composition according to Claim 16, wherein the ratio is 90:10 to 25:75.

18. (Original) The composition according to Claim 17, wherein the ratio is 85:15 to 50:50.

19. (Original) The composition according to Claim 5 wherein B and B.3 relate by weight as 90:10 to 10:90.

20. (Original) The composition according to Claim 19 wherein the ratio by weight of B:B.3 is 80:20 to 30:70.

21. (Original) The composition according to Claim 3 wherein flame proofing agent is present in an amount of 0 to 20 parts by weight.

22. (Original) The compositions according to Claim 1 comprising 20 to 98.5 parts by weight of A) and 1.5 to 80 parts by weight of B).

23. (Original) The composition according to Claim 22 containing 30 to 98 parts by weight of A) and 2 to 70 parts by weight of B).

24. (Original) The compositions according to Claim 1 further comprising at least one polymer additive selected from the group consisting of lubricants, mold-release agents, nucleating agents, antistatics, stabilizers, fillers, reinforcing materials, colorants and pigments.

25. (Original) A molded article comprising the composition of Claim 1.